

AMENDMENTS TO THE CLAIMS

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

1 Claim 1. (Currently Amended) A method for controlling transmission of fax data according
2 to a data output order of a facsimile receiving part, the method comprising the steps of:
3 scanning and storing a document into data to be transmitted from a facsimile ~~of a~~ transmitting
4 part to a facsimile ~~of said~~ receiving part;
5 dialing a predetermined telephone number of said facsimile receiving part when said
6 document is completely scanned;
7 requiring and receiving said data output order by said facsimile transmitting part from said
8 facsimile receiving part after the telephone number of said facsimile receiving part is dialed; and
9 transmitting by said facsimile transmitting part, said stored document data according to said
10 received data output order.

1 Claim 2. (Currently Amended) The method of claim 1, further comprising the step of
2 displaying said data output order received from said facsimile receiving part, on said facsimile
3 transmitting part.

1 Claim 3. (Original) The method of claim 1, with said data output order being either a face
2 down way or a face up way, said face down way being said stored document data outputted in order
3 from a first page to a last page of said stored document data, said face up way being said stored

4 document data outputted in reversed order from a last page to a first page of said stored document
5 data.

1 Claim 4. (Currently Amended) The method of claim 1, with both of said facsimile
2 transmitting part and said facsimile receiving part supporting a non-standard mode, said facsimile
3 receiving part reporting said data output order to said facsimile transmitting part by sending a
4 predetermined bit of data.

1 Claim 5. (Currently Amended) The method of claim 1, with said scanned document data
2 being managed in a unit of a page and being stored in a memory of said facsimile transmitting part.

1 Claim 6. (Currently Amended) The method of claim 1, with said requiring of said document
2 order being made during Phase B of a facsimile transmission, Phase B being a sequence of checking
3 states of said facsimile transmitting part and a transmission line and controlling said facsimile
4 transmitting part among a plurality of predetermined protocols used in transmission and reception
5 of facsimile data.

1 Claim 7. (Currently Amended) The method of claim 1, with said dialing a predetermined
2 telephone number of said facsimile receiving part being automatic.

1 Claim 8. (Currently Amended) A method, comprising the steps of:
2 scanning a document into data to be transmitted from a facsimile of a transmitting part to a

3 facsimile of a receiving part;

4 storing said data of said document in a memory of said facsimile transmitting part;

5 making a call by dialing a predetermined telephone number of said facsimile receiving part
6 when said document is completely scanned and stored in said memory;

7 checking whether said call between said facsimile transmitting part and said facsimile
8 receiving part is connected;

9 requiring a data output order by said facsimile transmitting part from said facsimile receiving
10 part when said call is connected;

11 receiving said data output order by said facsimile receiving part from said facsimile
12 transmitting part after said requiring of said data output order;

13 transmitting said data of said document stored in said memory according to said received data
14 output order; and

15 displaying said data output order received from said facsimile receiving part on a display on
16 an operational panel.

1 Claim 9. (Original) The method of claim 8, with said dialing the predetermined telephone
2 number being automatically dialed when said document is completely scanned.

1 Claim 10. (Original) The method of claim 9, with said data output order being either a face
2 down way or a face up way, said face down way being said stored document data outputted in order
3 from a first page to a last page of said stored document data, said face up way being said stored
4 document data outputted in reversed order from a last page to a first page of said stored document

5 data.

1 Claim 11. (Currently Amended) The method of claim 10, with both of said facsimile
2 transmitting part and said facsimile receiving part supporting a non-standard mode, said facsimile
3 receiving part reporting said data output order to said facsimile transmitting part by sending an
4 output order mode bit.

1 Claim 12. (Original) The method of claim 11, with said scanned document data being
2 managed in a unit of a page.

1 Claim 13. (Currently Amended) A facsimile transmitting part [[An]] apparatus, comprising:
2 a scanner of [[a]] said facsimile transmitting part ~~facsimile~~ scanning data of a document and
3 converting the data into digital image data;

4 a control unit utilizing the digital image data from said scanner, said control unit controlling
5 [[a]] said facsimile transmitting part ~~facsimile~~ according to a system program, said control unit
6 requiring and receiving a document output order from a facsimile receiving part ~~facsimile~~, said
7 document output order being an order of document pages determined by and being printed on said
8 facsimile receiving part ~~facsimile~~;

9 a memory storing said system program guiding said control unit, the digital image data from
10 the document being stored in said memory before being transmitted to said facsimile receiving part
11 ~~facsimile~~ by a transmission signal from said controller;

12 an operational panel having a plurality of keys generating key data of said facsimile

13 transmitting part ~~facsimile~~ to said control unit, said operational panel having a display unit showing
14 the document output order of said facsimile receiving part ~~facsimile~~;

15 a modem through a control of said control unit modulating said digital image data into analog
16 data formatted for transmission over a public telephone network; and

17 a network control unit forming a communication loop of the public telephone network having
18 a ring and a tip and interface signals of said modem, the public telephone network being connected
19 to said facsimile receiving part ~~facsimile~~.

1 Claim 14. (Original) The apparatus of claim 13, with said document output order being
2 either a face down way or a face up way, said face down way being said stored document data
3 outputted in order from a first page to a last page of said stored document data, said face up way
4 being said stored document data outputted in reversed order from a last page to a first page of said
5 stored document data.

1 Claim 15. (Currently Amended) The apparatus of claim 14, The method of claim 1, with
2 both of said facsimile transmitting part ~~facsimile~~ and said facsimile receiving part ~~facsimile~~
3 supporting a non-standard mode, said facsimile receiving part ~~facsimile~~ reporting said data output
4 order to said facsimile transmitting part ~~facsimile~~ by sending a predetermined bit of data.

1 Claim 16. (Original) The apparatus of claim 15, with said digital image data being managed
2 in a unit of a page.

1 Claim 17. (Currently Amended) The apparatus of claim 16, with said requiring of said
2 document output order being made during Phase B of a facsimile transmission, Phase B being a
3 sequence of checking states of said facsimile transmitting part ~~facsimile~~ and a transmission line and
4 controlling said facsimile transmitting part ~~facsimile~~ among a plurality of predetermined protocols
5 used in transmission and reception of facsimile data.

1 Claim 18. (New) The method of claim 8, further comprising of selecting an advance-
2 transmitting function to accommodate said requiring said data output order by said facsimile
3 transmitting part from said facsimile receiving part when said call is connected.

1 Claim 19. (New) The method of claim 18, after the data output order of the facsimile data
2 is displayed on a display of said operational panel, the facsimile data stored in a memory is then
3 transmitted to said facsimile receiving part according to the displayed data output order.

1 Claim 20. (New) The method of claim 8, further comprised of displaying said data output
2 order when said data output order is received from said facsimile receiving part on a display on an
3 operational panel.